

Gas Detection for the Water Treatment Industry

Honeywell



**Fixed and Portable Gas Detection Systems
and Controllers for Water and Wastewater Plants**

A Complete Range of Gas Detection Systems for the Water and Wastewater Industry



Water purification and sewage treatment plants produce a variety of toxic and combustible gas hazards. In process areas, these include ammonia, carbon monoxide, chlorine, hydrogen sulfide, nitric oxide, nitrogen dioxide, ozone, sulfur dioxide and others. In confined spaces, there is a danger of oxygen deficiency. To protect employees and community, choose Honeywell Analytics gas detection.

Honeywell Analytics brings decades of experience and the industry's most advanced gas monitoring instrumentation to serve the water and wastewater industry. We offer a complete line of fixed and portable gas detectors for use in and around your facility. Our solutions exceed

all federal, state and local occupational safety and health regulations. From standalone detectors to larger controller-based systems, Honeywell Analytics is dedicated to protecting people, equipment and environment through cost-effective gas detection.

Fixed Gas Detection



Sensepoint XCD

- Flammable (catalytic or infrared), toxic and oxygen versions available
- New and retrofit applications
- Suitable for indoor or outdoor use
- Stainless steel or aluminium explosion-proof housing options
- IP66 as standard
- User friendly and intuitive tri-colour backlit display with digits, bar graph and icons
- Fully configurable via magnetic switches
- Optional remote sensor mounting*
- Selectable sink or source 4-20mA output
- Auto-inhibit during maintenance
- MODBUS communications for remote diagnostics/configuration*



Series 3000 MkII

- Gas detector 2 wire 4-20mA output
- Surecell™ electrochemical sensors for hot & humid environments
- ATEX, UL, CSA (cUL) certifications
- Explosion proof transmitter
- Reduced routine maintenance costs
- Long life sensing elements
- Permits 'hot swap' of replacement sensors reducing down time
- Onboard fault diagnostic software & display
- Patented 'Reflex' sensing element verification diagnostics
- Easy menu / icon driven calibration



Optima Plus

- Fast speed of response to 100% LEL Methane, Ethane, Propane, Butane, Ethylene/Ethene
- Dual channel, fully compensated infrared optical configuration
- Heated stand offs and optics
- Failsafe operation
- Immune to catalytic poisons
- False alarm rejection with $\sqrt{2}$ Software™
- Works in inert atmospheres
- Advanced integral fault diagnostics
- Optional Modbus RS485 multidrop output
- Calibrates for over 100+ gases & vapors



Satellite XT

- Detects a wide range of gasses in safe area applications
- Fast, reliable, specific gas detection
- Continuous real-time monitoring
- Interchangeable intelligent sensor
- No dynamic gas calibration required
- Generic sensor head electronics
- Low cost of ownership
- No moving parts



Gas Matrix Chart

Typical Applications	Honeywell Solution	Gases Detected
Bar Screen Room	XNX Universal Transmitter Sensepoint XCD	(CH ₄ , H ₂ S, O ₂ , CO) (CH ₄ , H ₂ S, O ₂ , CO)
Wet/Dry Well (Lift Stations)	XNX Universal Transmitter Sensepoint XCD Optima Plus IR Impact Pro	(CH ₄ , H ₂ S, O ₂ , CO) (CH ₄ , H ₂ S, O ₂ , CO) (CH ₄) (H ₂ S, CO, CH ₄ , O ₂)
Chlorine Storage Room	XNX Universal Transmitter Series 3000 XPIS Satellite XT	(Cl ₂ , NH ₃ , ClO ₂) (Cl ₂ , NH ₃ , ClO ₂) (Cl ₂ , NH ₃ , ClO ₂)
Sludge De-Watering	XNX Universal Transmitter Sensepoint XCD Satellite XT	(CH ₄ , H ₂ S, O ₂ , CO) (CH ₄ , H ₂ S, O ₂ , CO) (CH ₄ , H ₂ S, O ₂ , CO)
Wastewater Digester Tank	XNX Universal Transmitter Sensepoint XCD Optima Plus IR Impact Pro	(CH ₄ , H ₂ S, O ₂ , CO) (CH ₄ , H ₂ S, O ₂ , CO) (CH ₄) (H ₂ S, CO, CH ₄ , O ₂)
Aeration Tanks/Digesters	XNX Universal Transmitter Series 3000 XPIS Satellite XT (IS)	(NO) (NO) (NO)
Pumps and Incinerators	XNX Universal Transmitter Sensepoint XCD	(CO, CO ₂) (CO, CO ₂)
Water Disinfection	XNX Universal Transmitter Series 3000 XPIS Satellite XT	(NH ₃ , Cl ₂) (Cl ₂ , NH ₃) (Cl ₂ , NH ₃)
Confined Spaces	XNX Universal Transmitter Sensepoint XCD Impact Pro	(CH ₄ , O ₂ , CO, H ₂ S) (CH ₄ , O ₂ , CO, H ₂ S) (CH ₄ , O ₂ , CO, H ₂ S)

Portable Gas Detection



GasAlertQuattro

- Reliably monitors for H₂S, CO, O₂ and combustibles
- IntelliFlash verifies operation and compliance to both the user and supervisors from up to 20 ft. / 6.1 m
- Field-proven Surecell sensors offer an unprecedented performance, even in the harshest environments
- Graphic LCD displays easy to identify icons that indicate operational information
- Full function self-test is initiated upon activation and runs continuously during operation
- Suited to a wide range of industrial applications including confined space entry
- Compatible with MicroDock II automated test and calibration system



Impact Pro

- Portable 4 gas (simultaneous) detector with user-swappable multi-sensor cartridges
- Attention grabbing audible, visual and vibrating alarms
- Rugged and water-proof (IP67 rated)
- Enforcer automated calibration and Safelink communication options
- Easy to use, configurable unit with robust built-in pump and data-logging
- Clear, backlit, easy-to-read display
- Disposable or fully serviceable cartridges
- Multi-lingual intuitive menu

Controllers



HA20 / HA40/HA71

- 2, 4, 8, 16 channels depending on controller model
- Two standard SPDT common alarm relays for HORN, HIGH, WARN or FAULT
- Approvals: NEMA4X enclosure; Class I, Div. 2, Groups A,B,C,D
- Three independent alarm levels per channel
- Graphic LCD readout displays monitored data as bargraphs, trends and engineering units
- Alarm LED's flash when new and become steady after acknowledged
- Touch-and-magnetic keypad for non-intrusive operation in potentially hazardous locations
- Rack and wall mount versions
- Modbus RS-485 master and slave communications
- Scalable by linking multiple controllers to connect up to 160 points of detection
- Additional options are available specific to controller models

Universal Transmitter



XNX™

- Works with Honeywell's full range of gas sensor technologies (Electrochemical, Infrared, Catalytic Bead)
- Expanded communications platform with standard HART® plus optional MODBUS, FOUNDATION Fieldbus™ (pending) or three relays (two alarm, one fault)
- Single interface provides complete diagnostic, alarm and gas concentration values
- Supports eight languages (English, Spanish, German, Italian, Portuguese, French, Russian, Chinese)
- Easy to install, operate and maintain
- Failsafe operation, fast response and long operating life
- Globally certified for hazardous areas

Honeywell Analytics Lines of Business



Commercial

Gas detection from standalone units to fully engineered, multi-point systems, all offering cost-effective regulatory compliance

- » Applications: parking structures, chillers, mechanical rooms, office towers, commercial buildings, shopping centers, swimming pools, golf courses, schools and universities, laboratories

Industrial

Renowned Sieger and Manning gas detection systems with advanced electrochemical, infrared and open path sensing technologies

- » Applications: oil and gas, cold storage, water/wastewater treatment, chemicals, engine rooms, plastics and fibers, agriculture, printing and light industrial

Portables

Single or multi-gas Lumidor and other premium detectors with compact, lightweight designs ranging from simple alarm only units to advanced, fully configurable and serviceable instruments

- » Applications: underground utility and electricity ducts, boiler rooms, post-fire sites, sewers, industrial plants, industrial hygiene, first responder teams, remote fleets



High Tech/Government

A complete portfolio of gas and chemical detection instrumentation including infrared spectroscopy (MST) with no cross interference, to Chemcassette paper-based solutions (MDA Scientific) offering detection down to parts per billion

- » Applications: semiconductor manufacturing and nanotechnology, aerospace propulsion and safety, specialty chemicals industry, research laboratories, emergency response

Technical Services

24/7 global network includes post-sales service and Systems Integration teams

- » Emergency call out, service contracts, on/off-site repair, training and commissioning
- » Complete range of spares, consumables and accessories

Find out more

www.honeywellanalytics.com

Contact Honeywell Analytics:

Americas

Honeywell Analytics, Inc.
405 Barclay Blvd.
Lincolnshire, IL 60069
USA

Tel: 847.955.8200
Toll-free: 800.538.0363
Fax: 847.955.8210
detectgas@honeywell.com

Technical Services

ha.service@honeywell.com

www.honeywell.com

Europe, Middle East, Africa

Life Safety Distribution AG
Weiherallee 11a
CH-8610 Uster
Switzerland
Tel: +41 (0)44.943.4300
Fax: +41 (0)44.943.4398
gasdetection@honeywell.com

Asia Pacific

Honeywell Analytics, Asia Pacific
#508, Kolon Science Valley (1)
187-10 Guro-Dong, Guro-Gu
Seoul, 152-050
Korea
Tel: +82 (0)2.2025.0307
Fax: +82 (0)2.2025.0329
analytics.ap@honeywell.com

Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

Honeywell