



**RAE Systems by Honeywell
Fixed-Head Wireless Infrastructure**

RAEPoint

Fixed-Head Wireless Infrastructure



Key Features

- 5 internal SPDT relays
- Wireless transmission distance of 300 m (1000 ft) point-to-point. Range can be extended by using wireless routers
- Continuously powered by standard 12-28VDC input
- Class 1, Division 1 (ATEX Zone 1 hazardous area certification)
- Available as stand-alone unit, or as a turn-key wireless alarm bar solution, mounted and pre-wired with two 5J xenon lights and a 110dB horn

Applications

- Oil and gas exploration
- Worker exposure monitoring
- Fenceline monitoring

RAEPoint is a multi-function wireless infrastructure component for RAE Systems by Honeywell wireless gas detection systems.

This key building block can operate as an access point in hazardous areas to communicate with wireless gas detectors to enable integration with FMC-2000 or PC-based ProRAE Guardian host controllers. When directed by the controller, the RAEPoint can use any of its five internal relays to trigger audible and visible alarms to provide additional alert notification in hazardous locations. Additionally, the RAEPoint operates as a range extender to increase the wireless transmission distance of wireless gas detectors.



RAEPoint

Fixed-Head Wireless Infrastructure Specifications



RAEPoint Specifications

Basic parameters

Input/Output	Power Input: 2.4W Vinput: 12-28VDC 5 SPDT relays Resistor load max: 6A@24VDC or 6A@250VAC Inductive load max: 2A@24VDC or 3A@250VAC
Wireless	IEEE 802.15.4 ISM band
Transmission Range	300m (1000 ft) typical
IP Rating	IP-65
Mechanical Interface	3/4" NPT female
Installation	50.8 mm (2") pipe-holding or wall mounting

Environmental parameters

Temperature	-20° C to +55° C (-4° F to 131° F)
Humidity	0 to 95% relative humidity, non-condensing
Pressure	90 to 110kPa

Display

Display	4 LEDs (Network, Alarm, Communication, Mode)
---------	--

Physical parameters

Dimensions	257 x 201 x 107 mm (10.1" x 7.9" x 4.2")
Housing Material	Aluminum
Weight	3.5 kg (7.7 lbs)

Certification

Safety Certification	IECEX: Ex d ia IIC T6, Gb ATEX: Ex II 2G, Ex d ia IIC T6 Gb cCSAus: Class I, Division 1 Group A,B,C,D T6
	Wireless certification FCC Part 15 R&TTE directive (1999/5/EC) (Contact RAE Systems for other countries.)

Ordering Options


The RAEPoint can be ordered as a stand-alone wireless unit, or as an integrated Wireless Alarm Bar complete with two strobes and one horn. Each RAEPoint can be configured as a Router, Remote, or Host on a wireless mesh network. Configurations include:

RAEPoint Router

A stand-alone, DC-powered, explosion-proof unit that acts as a permanent wireless router for mesh network systems. Includes an aluminum enclosure with LED status indicators and an integrated wireless mesh radio.

RAEPoint Remote & RAEPoint Host

Stand-alone relay units include an aluminum enclosure with LED status indicators, an integrated wireless mesh radio, and five integrated relays.



Honeywell Gas Detection



Honeywell is able to provide gas detection solutions to meet the requirements of all applications and industries. Contact Honeywell in the following ways.

Fixed Gas Detection

www.honeywellanalytics.com

Europe, Middle East, Africa, India

Life Safety Distribution AG
Javastrasse 2
8604 Hegnau
Switzerland
Tel: +41 (0) 44 943 4300
Fax: +41 (0) 44 943 4398
India Tel: +91 124 4752700
gasdetection@honeywell.com

Americas

Honeywell Analytics Distribution Inc.
405 Barclay Blvd.
Lincolnshire, IL 60069
USA
Tel: +1 847 955 8200
Toll free: +1 800 538 0363
Fax: +1 847 955 8210
detectgas@honeywell.com

Asia Pacific

Honeywell Analytics
Asia Pacific
#701 Kolon Science Valley (1)
43 Digital-Ro 34-Gil, Guro-Gu
Seoul 152-729
Korea
Tel: +82 (0) 2 6909 0300
Fax: +82 (0) 2 2025 0388
analytics.ap@honeywell.com

Technical Services

EMEA: HAexpert@honeywell.com
US: ha.us.service@honeywell.com
AP: ha.ap.service@honeywell.com

Portable Gas Detection

www.honeywellanalytics.com
www.raesystems.com

European Headquarters Europe, Middle East, Africa, India

Life Safety Distribution AG
Javastrasse 2
8604 Hegnau
Switzerland
Tel: +41 (0) 44 943 4300
Fax: +41 (0) 44 943 4398
India Tel: +91 124 4752700
gasdetection@honeywell.com

Europe South/East, Africa (French speaking countries)

BW Technologies by Honeywell France
ZAC Athélia 4 - 375 avenue du Mistral,
Bât B, Espace Mistral
13600 La Ciotat, France
Tel: +33 (0) 4 42 98 17 70
Fax: +33 (0) 4 42 71 97 05
PortablesFR@honeywell.com

Middle East, CIS, Africa (English speaking countries)

BW Technologies by Honeywell
Emaar Business Park
Building No.2, 2nd floor,
Office 201
PO. Box 232362
Dubai, United Arab Emirates
Tel: +971 4 450 5852
Fax: +971 4 450 5910
PortablesJAE@honeywell.com

Technical Services

BWexpert@honeywell.com
HAexpert@honeywell.com
BIExpert@honeywell.com

United Kingdom, Ireland, Netherlands and West Nordics

4 Stinsford Road
Nuffield Industrial Estate
Poole, Dorset, BH17 0RZ
United Kingdom
Tel: +44 (0) 1295 700 300
Fax: +44 (0) 1295 700 301
Email: portablesUK@honeywell.com

Europe Central, Belgium, Luxembourg and East Nordics

BW Technologies GmbH
Elsenheimerstrasse 43
80687 München, Germany
Tel: +49 (0) 89 791 9217
Fax: +49 (0) 89 9218 5721
PortablesDE@honeywell.com

Honeywell Analytics
Experts in Gas Detection



We Save Lives



Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

H_RAEPPoint_DS01150_V1_EMEA

08/14

© 2014 Honeywell Analytics

Honeywell