

Midas[®] SENSOR CARTRIDGE SPECIFICATIONS

C₄F₆ High Range MIDAS-E-CFH



Gas Measured	C ₄ F ₆ High Range
Cartridge Part Number	MIDAS-E-CFH 2 year standard warranty
Sensor Technology	3 electrode electrochemical cell
Measuring Range (ppm)	C ₄ F ₆ 0 – 80 ppm
Minimum Alarm 1 Set Point	20 ppm
Repeatability	< ± 10% of measured value
Linearity	< ± 10% of measured value
Response Time t_{92.5}	≤ 60 seconds
Sensor Cartridge Life Expectancy	≥ 12 months under typical application conditions
Operating Temperature	0°C to +40°C (32°F to 104°F)
Effect of Temperature	< ± 0.009 ppm / °C (at 0°C to 20°C)
Zero	< ± 0.03 ppm / °C (at 20°C to 40°C)
Sensitivity	< ± 0.4% of measured value / °C
Operating Humidity (continuous)	20 – 75% RH ¹
Effect of Humidity	< ± 0.01 ppm / % RH
Zero	< ± 1% of measured value / % RH
Sensitivity	
Operating Pressure	90 – 110kPa
Effect of Position	No effect in typical application
Long Term Drift	
Zero	No Drift
Sensitivity	< 15% of measured value / year
Calibration Gas	Hydrogen Fluoride (HF)
Challenge Gas (Bump Test)	Chlorine (CL ₂)
Warm Up Time	< 60 minutes
Storage Temperature	+5°C to +25°C (+41°F to +77°F)

The sensor data listed is based on ideal test environment; observed performance may vary based on the actual monitoring system and the sampling conditions employed

Cross Sensitivities

Each Midas[®] sensor is potentially cross sensitive to other gases and this may cause a gas reading when exposed to other gases than those originally designated. The table below presents typical readings that will be observed when a new sensor cartridge is exposed to the cross sensitive gas (or a mixture of gases containing the cross sensitive species).

Gas / Vapor	Chemical Formula	Concentration Applied (ppm)	Reading (ppm C ₄ F ₆)
Arsine	AsH ₃	1	0
Carbon Monoxide	CO	2,000	0
Chlorine	Cl ₂	2	5.9
Diborane	B ₂ H ₆	0.5	-2.3
Hydrogen	H ₂	20,000	0
Hydrogen Chloride	HCl	2	7.8
Hydrogen Fluoride	HF	2	8.7
Hydrogen Sulfide	H ₂ S	1	-0.6
Isopropanol	C ₃ H ₇ OH	500	0
Methanol	CH ₃ OH	500	0
Nitrogen Dioxide	NO ₂	10	5.6
Phosphine	PH ₃	1	-0.6
Nitrogen Trifluoride	NF ₃	10	10.3
Sulfur Dioxide	SO ₂	2	4.8
Perfluoroether	HFE		Yes
Hydrofluorocarbon, Perfluorocarbon	HFC / PFC		Yes

Find out more

www.honeywellanalytics.com

Toll-free: 800.538.0363

Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.